

Diplomat Prestige

◆Image

Developed in response to market demand for a fencing system for prestige locations where a change from conventional designs is called for but which retains good security features including high resistance to climbing and visually reflects the projects image at its boundary.

Diplomat meets all of these demands in its standard format and can be further enhanced by the provision of cranked posts with anti-climb panels at a high level providing both a visual and physical barrier which make attempts to scale almost impossible.



◆Construction

Available in a range of standard heights from 0.90m to 2.50m.

The panels are constructed utilising a vertical flat bar with a round horizontal bar fusion welded to it at each intersection to produce a strong, visually attractive assembly.


A choice of two mesh sizes are available, 100/60 and 60/50 mesh.

Paramount Steel Fence

Diplomat panels can be supplied to suit difficult site conditions. Technical advice and information is readily available from our [Sales and Design teams](#). Please ask for further information.

Panels can be supplied to Step and Radius. Make up and transitional panels are available for non standard requirements. Posts can be supplied for cranking over and fixing to the back of walls.

In circumstances where the client is unable to provide sufficient detail our experienced personnel are available to visit your site and carry out a survey or design custom built fencing for difficult areas. Please advise us at the enquiry stage if you require a site visit, which will be carried out following receipt of your order.



Cranked Diplomat



◆Finish

Hot dipped galvanised substrate complying with the requirements of BS EN ISO 1461 provides durable finish which is virtually maintenance free throughout its life.

A high performance factory applied polyester powder colour coated finish to BS 6497, offers a choice of over 100 RAL colours and offers a painting scheme which retains its visual appeal for long periods of time without rusting or the need for repainting.

◆Gates

These are available to complement fencing, available in chosen heights and widths to suit the client's requirements.

A variety of configurations are available in manual or power operated single or double leaf swing gates, together with options for Tracked and Cantilever style sliding gates.

Designed to be strong and durable with an attractive visual appeal.



Fencing supplied to Murrayfield Stadium

◆Uses

Paramount Diplomat Fencing is used successfully in many projects, including:

- Research Laboratories
- International Rugby Stadium
- Soccer Grounds
- Ball Courts
- Computer Centres
- Civic Centres
- Play Areas
- Garden Centres
- Commercial Projects
- Major Industrial Sites

◆Technical Details

| Type | Mesh Size | Post Centres | Post Section | Height |
|---------|-----------|--------------|--------------|--------|
| PD1-60 | 60x50 | 2.13m | 102x44&RSJ | 0.93m |
| PD1-60 | 60x50 | 2.13m | 102x44&RSJ | 1.40m |
| PD1-60 | 60x50 | 2.13m | 102x44&RSJ | 1.90m |
| PD1-60 | 60x50 | 2.13m | 102x44&RSJ | 2.51m |
| PD1-100 | 100x60 | 2.13m | 102x44&RSJ | 0.93m |
| PD1-100 | 100x60 | 2.13m | 102x44&RSJ | 1.40m |
| PD1-100 | 100x60 | 2.13m | 102x44&RSJ | 1.90m |
| PD1-100 | 100x60 | 2.13m | 102x44&RSJ | 2.51m |